| Ref<br># | Hits  | Search Query   | DBs  | Default<br>Operator | Plurals | Time Stamp       |
|----------|-------|--|--|---------------------|---------|------------------|
| L24      | 31    | (US-20020133685-\$ or US-20030196065-\$ or US-20030196066-\$ or US-20030204702-\$ or US-20050125623-\$ or US-20050021925-\$ or US-20050021925-\$ or US-20050027961-\$ or US-20040215918-\$).did. or (US-5375214-\$ or US-5446854-\$ or US-5465337-\$ or US-5475827-\$ or US-5479627-\$ or US-5526504-\$ or US-5617554-\$ or US-5796978-\$ or US-5835963-\$ or US-5895501-\$ or US-5907867-\$ or US-6233652-\$ or US-647482-\$ or US-6625715-\$ or US-6647482-\$ or US-6715057-\$ or US-6751583-\$ or US-6715057-\$ or US-6751583-\$ or US-6779887-\$ or US-6772281-\$). did. | US-PGPUB;<br>USPAT                         | OR                  | ON      | 2006/01/04 10:32 |
| L26      | 30    | L24 AND (software OR medium\$1 OR computer\$1)   | US-PGPUB;<br>USPAT                         | OR                  | ON      | 2006/01/04 10:33 |
| L27      | 30    | L24 AND (software OR medium\$1<br>OR computer\$1 OR code OR<br>program\$1)   | US-PGPUB;<br>USPAT                         | OR                  | ON      | 2006/01/04 10:33 |
| L28      | 964   | (translat\$3 OR decod\$3 OR map\$1<br>OR mapp\$3) near3 ((compar\$3 OR<br>examin\$3 OR hit\$1 OR match\$3 OR<br>inspect\$3) near3 (EA OR entr\$3 OR<br>((effective OR virtual OR logical OR<br>linear) ADJ2 address\$2)))  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/01/04 11:14 |
| L29      | 3444  | ((711/6) or (711/202) or (711/203)<br>or (711/206-209)).CCLS.  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/01/04 11:15 |
| L30      | 389   | ((711/212) or (711/221)).CCLS.   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/01/04 11:15 |
| L31      | 90557 | (translat\$3 OR decod\$3 OR map\$1<br>OR mapp\$3) near3 (enabl\$3 OR<br>bypass\$3 OR disabl\$3 OR activ\$5<br>OR inactiv\$5 OR permit\$4 OR<br>inhibit\$3 OR prohibit\$3 OR<br>prevent\$3)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/01/04 11:15 |
| L32      | 121   | L28 AND L31 AND (L29 OR L30)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/01/04 11:16 |

|     |       |   | · · · · · · · · · · · · · · · · · · ·      |    |     |                  |
|-----|-------|---|--|----|-----|------------------|
| L33 | 11    | (L28 SAME L31) AND (L29 OR L30)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/04 11:16 |
| S1  | 0     | (dale-jason OR dement-jonathan OR Fernsler-kimberly).in.  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 09:22 |
| S2  | 8     | (dale-jason-n\$ OR<br>dement-jonathan-j\$ OR<br>Fernsler-kimberly-m\$).in.  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 08:56 |
| S3  | 3433  | ((711/6) or (711/202) or (711/203)<br>or (711/206-209)).CCLS.   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/23 08:57 |
| S4  | 388   | ((711/212) or (711/221)).CCLS.  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/23 08:59 |
| S5  | 6068  | (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 09:15 |
| S6  | 20288 | (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 09:16 |
| S7  | 4954  | TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 09:23 |
| S8  | 23356 | TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 10:38 |
| S9  | 2     | ("20020133685").PN.   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/23 09:28 |
| S10 | 3691  | (variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 12:11 |

|     |        |   | · · · · · · · · · · · · · · · · · · ·      |    |     |                  |
|-----|--------|---|--|----|-----|------------------|
| S11 | 353    | S8 SAME S10   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 12:25 |
| S12 | 3433   | ((711/6) or (711/202) or (711/203)<br>or (711/206-209)).CCLS.   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/23 09:55 |
| S13 | 388    | ((711/212) or (711/221)).CCLS.  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/23 09:55 |
| S14 | 166    | S11 AND (S12 OR S13)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 10:07 |
| S15 | 207999 | PSI OR ((page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))                          | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 16:18 |
| S16 | 3701   | (S12 OR S13)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 10:07 |
| S17 | 67     | S8 SAME (S10 SAME S15) AND S16  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/23 12:34 |
| S18 | 0      | ("6549997").URPN.   | USPAT                                      | OR | ON  | 2005/12/23 10:31 |
| S19 | 0      | ("2002/0133685").URPN.  | USPAT                                      | OR | ON  | 2005/12/23 10:31 |
| S20 | 20     | ("5263140"   "5319590"   "5375214"   "5446854"   "5465337"   "5475827"   "5479627"   "5526504"   "5535351"   "5617554"   "5706461"   "5712998"   "5717885"   "5765209"   "5796978"   "5802605"   "5907867"   "5956756"   "6205530"   "6233652").PN. | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON  | 2005/12/23 10:31 |
| S21 | 2559   | (variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/29 15:10 |
| S22 | 205393 | PSI OR ((page\$1) near4 (size\$1)<br>near4 (indicat\$3 OR identif\$4 OR<br>bit\$1 OR byte\$1 OR flag\$1 OR<br>status OR label\$3 OR select\$3 OR<br>entr\$3 OR field\$1))   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 16:17 |

| S23 | 931    | S8 AND S10   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 11:44 |
|-----|--------|--|--|----|----|------------------|
| S24 | 79     | S23 AND (S22 near10 (table\$1 near5 entr\$3))  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/23 12:38 |
| S25 | 60     | S24 AND S16  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/23 12:38 |
| S26 | 76     | S23 AND (S22 near5 (table\$1 near5 entr\$3))   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/23 13:05 |
| S27 | 58     | S26 AND S16  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/23 13:05 |
| S28 | 205281 | PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/28 16:10 |
| S29 | 44     | S23 AND (S28 near5 (table\$1 near5 entr\$3))   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/23 13:05 |
| S30 | 33     | S29 AND S16  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/23 13:08 |
| S31 | 17     | (PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))) ADJ5 (based OR contingent OR correspond\$3 OR depend\$3) ADJ5 (page\$1) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/28 16:14 |
| S32 | 9      | ("5282274"   "5446854"   "5479627"<br>  "5526504"   "5918245"  <br>"5956756"   "6079004"  <br>"6157986").PN. OR ("6625715").<br>URPN.  | US-PGPUB;<br>USPAT;<br>USOCR               | OR | ON | 2005/12/28 16:33 |
| S33 | 0_     | ("2003/0196066").URPN.   | USPAT                                      | OR | ON | 2005/12/28 16:51 |

| S34 | 23     | (US-20020133685-\$ or US-20030196065-\$ or US-20030204702-\$ or US-20030196066-\$).did. or (US-5375214-\$ or US-5446854-\$ or US-5465337-\$ or US-5475827-\$ or US-5479627-\$ or US-5526504-\$ or US-5617554-\$ or US-5895501-\$ or US-5835963-\$ or US-5895501-\$ or US-6233652-\$ or US-6549997-\$ or US-6647482-\$ or US-6751583-\$). did.  | US-PGPUB;<br>USPAT                         | OR | ON  | 2005/12/29 15:09 |
|-----|--------|--|--|----|-----|------------------|
| S35 | 6      | (((page\$1 OR table\$1 OR ERAT)<br>near5 entr\$3) near8 (invalid\$5 OR<br>delet\$3 OR void\$3 OR disabl\$3 OR<br>eras\$3 OR negat\$3 OR null\$4 OR<br>revok\$3)) AND S34   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/12/29 15:17 |
| S36 | 4      | (("5263140") or ("5319590")).PN.   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/12/29 16:21 |
| S37 | 223638 | (translat\$3 OR decod\$3 OR map\$1<br>OR mapp\$3 OR compar\$4) near3<br>(enabl\$3 OR bypass\$3 OR disabl\$3<br>OR activ\$5 OR inactiv\$5 OR avoid\$3<br>OR abstain\$3 OR permit\$4 OR<br>inhibit\$3 OR prohibit\$3 OR<br>prevent\$3 OR restrict\$3)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:51 |
| S38 | 23     | (US-20020133685-\$ or US-20030196065-\$ or US-20030196066-\$ or US-20030204702-\$ or US-20050125623-\$).did. or (US-5375214-\$ or US-5446854-\$ or US-5465337-\$ or US-5475827-\$ or US-5479627-\$ or US-5526504-\$ or US-5617554-\$ or US-5895501-\$ or US-5835963-\$ or US-5895501-\$ or US-6233652-\$ or US-6549997-\$ or US-6625715-\$ or US-6647482-\$ or US-6715057-\$ or US-6751583-\$). did. | US-PGPUB;<br>USPAT                         | OR | ON  | 2006/01/03 10:54 |
| S39 | 17     | S37 AND S38  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 10:55 |

| S40 | 23445 | TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:44 |
|-----|-------|--|--|----|-----|------------------|
| S41 | 3722  | (page\$1 near3 table\$1)  (variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3)  near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:44 |
| S42 | 935   | S40 AND S41  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:44 |
| S43 | 3444  | ((711/6) or (711/202) or (711/203)<br>or (711/206-209)).CCLS.  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/03 11:45 |
| S44 | 389   | ((711/212) or (711/221)).CCLS.   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/01/03 11:45 |
| S45 | 169   | S42 AND S37 AND (S43 OR S44)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:48 |
| S46 | 167   | S42 AND S37 AND (S43)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:52 |
| S47 | 4     | S42 AND S37 AND (S43 AND S44)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:46 |
| S48 | 6     | S42 AND S37 AND (S44)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:48 |
| S49 | 90557 | (translat\$3 OR decod\$3 OR map\$1<br>OR mapp\$3) near3 (enabl\$3 OR<br>bypass\$3 OR disabl\$3 OR activ\$5<br>OR inactiv\$5 OR permit\$4 OR<br>inhibit\$3 OR prohibit\$3 OR<br>prevent\$3)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 18:37 |
| S50 | 124   | S42 AND S49 AND (S43)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/01/03 11:53 |

| S51 | 118    | S50 AND @ad<"20031209"  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 11:54 |
|-----|--------|---|--|----|----|------------------|
| S52 | 89     | ((writ\$3 OR add\$3) near4 (EA OR<br>((effective OR virtual OR logical OR<br>linear) ADJ2 address\$2))) SAME S37  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 14:51 |
| S53 | 35     | S52 AND (S43 OR S44)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 14:51 |
| S54 | 63     | ((writ\$3 OR add\$3) near4 (EA OR<br>((effective OR virtual OR logical OR<br>linear) ADJ2 address\$2))) SAME S49  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 14:51 |
| S55 | 25     | S54 AND (S43 OR S44)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 14:52 |
| S56 | 211794 | PSI OR ((each OR individual\$2 OR separate) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))                                     | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 16:40 |
| S57 | 7      | S56 AND (S40 SAME S41) AND (S43<br>OR S44)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 16:43 |
| S58 | 12     | S56 AND (S40 AND S41) AND (S43<br>OR S44)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 16:39 |
| S59 | 5      | S56 AND (S40 AND S41) AND (S43<br>OR S44) NOT S57   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 16:39 |
| S60 | 455306 | PSI OR ((each OR individual\$2 OR separate OR select\$3 OR choos\$3 OR every) near3 ((size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 17:54 |

| S61 | 55     | S60 AND (S40 SAME S41) AND (S43<br>OR S44)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 17:57 |
|-----|--------|--|--|----|----|------------------|
| S62 | 49     | S60 AND (S40 SAME S41) AND (S43<br>OR S44) NOT S58   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 16:44 |
| S63 | 363036 | (base OR default OR initial OR preferred OR primary OR principal OR fundamental) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 17:56 |
| S64 | 11     | S63 SAME (S40 SAME S41) AND (S43 OR S44)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:08 |
| S65 | 49     | S63 AND (S40 SAME S41) AND (S43 OR S44)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:09 |
| S67 | 4503   | S49 WITH (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:21 |
| S68 | 98     | S67 AND (S43 OR S44)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:22 |
| S69 | 249    | S40 AND (S49 WITH (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3))  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:21 |
| S70 | 64     | S69 AND (S43 OR S44)   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:22 |
| S71 | 56     | S69 AND (S43 OR S44) AND<br>@ad<"20031209"   | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:23 |
| S72 | 1454   | (translat\$3 OR decod\$3 OR map\$1<br>OR mapp\$3) near3 ((compar\$3 OR<br>examin\$3 OR hit\$1 OR match\$3 OR<br>inspect\$3) near3 (size\$1 OR<br>magnitude\$1 OR area\$1 OR<br>dimension\$1 OR range\$1 OR<br>capacit\$3 OR length)) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/04 11:11 |

| S73 | 390 | S72 AND S49                  | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/03 18:45 |
|-----|-----|------------------------------|--|----|----|------------------|
| S74 | 11  | S72 AND S49 AND (S43 OR S44) | US-PGPUB;<br>USPAT;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/01/04 11:15 |